

FLASHLIGHTS & BATTERIES

CREE® PENLIGHTS

- High-quality Cree LED beam is very bright
- High-quality penlight is extremely durable all while being lightweight to alleviate wrist fatigue
- Aluminum body is corrosion and rust-resistant
- Push button to switch on and off
- Attaches securely to pockets, belts and briefcases with convenient clip
- Penlight is ideal for various applications such as household work, automobile maintenance and recreational activities
- Run Time Hrs. (High): 4
- Body Material: Aluminum
- Battery Type: AAA
- Body Colour: Black
- Beam Distance (High): 50 m
- Batteries included
- Light Colour: White
- No. of Batteries Required: 2
- Length: 5"
- Diameter: 0.5"
- Weight: 0.12 lbs.



aurora tools®

Model No.	Lumens	Price /Each
XH073	80	18.95

AFL300 LED FLASHLIGHTS

- High strength aluminum casing
- Shatterproof lens
- Batteries included
- Colour: Black
- **XE889**: 3 lighting settings: Low 9 LED, Medium 24 LED and High 45 LED



XE888



XE889

aurora tools®

Model No.	Lumens	Run Time Hrs	Batteries Required	Beam Distance	Bulb	Price /Each
XE888	98	3	3 x AAA	35 m	28 LED	13.95
XE889	31-157	2-3	4 x AAA	45 m	45 LED	18.50

AFL400 RECHARGEABLE LED SPOTLIGHT

- Single LED spotlight has an extremely bright beam featuring long distance visibility
- Spotlight features an additional side-light that can be used as a free-standing lantern
- Certified for sale in Canada by an accredited certification body
- Spotlight is ideal for various applications, such as household work, facility maintenance, general labor and recreational activities
- Run Time Hrs. (High): 6
- Battery Type: Rechargeable
- Body Colour: Black
- Body Material: Plastic
- Beam Distance (High): 500 m
- Batteries included
- Side-light Lumens: 180



aurora tools®

Model No.	Lumens	Price /Each
XH109	516	48.95

AFL200 MINI LED FLASHLIGHTS

- Nine ultra bright LED lights
- High-strength aluminum casing
- On/Off switch
- Lightweight design
- Rugged impact resistant housing
- Includes wrist strap and three AAA alkaline batteries



aurora tools®

Model No.	Lumens	Price /Each
XD079	25	9.95

AFL100 LED FLASHLIGHTS

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- Hi-Viz yellow colour for easy visibility
- Batteries not included



aurora tools®

Model No.	Mfg. No.	Description	Lumens	Price /Each
XC977	-	Flashlight, 2 AA-Cells	28	3.95
XB872	EN91	Replacement Batteries AA-Cell, 24/Pkg.	-	18.72/Pkg.
XC978	-	Flashlight, 2 D-Cells	35	5.50
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.	-	21.84/Pkg.

INDUSTRIAL LED FLASHLIGHTS

- Run Time Hrs. (High): 113
- Battery Type: D
- Colour: Yellow
- Batteries Required: 2 x D



EVEREADY

Model No.	Mfg. No.	Lumens	Price /Each
XD071	1251L	35	7.76



Ask us about volume prices!

In many cases you will benefit from quantity prices.

FLASHLIGHTS & BATTERIES

VISION HD FLASHLIGHTS

- Can be used on high, power-saver and emergency strobe modes
- Includes six Energizer® AA batteries
- Survives drops up to 1 metre
- Lamp Type: LED
- Run Time Hrs. (High): 4
- Body Material: Aluminum
- Body Colour: Black
- Beam Distance (High): 230 m
- Water Resistance Rating: IPX4



Energizer

Model No.	Mfg. No.	Lumens	Price /Each
XH023	EPMZH61E	1300	44.60

HARD CASE PROFESSIONAL™ 2 AA LED FLASHLIGHTS

- Water resistant IPX4
- Shatterproof lens
- Impact resistant steel plate bolted sides
- Run time: High 6 hrs. 30 min., Low 65 hrs.
- Includes 2 long lasting AA Energizer® alkaline batteries
- Beam distance: 115 meters



Energizer

Model No.	Mfg. No.	Description	Lumens High/Low	Price /Each
XC234	TUF2AAPE	Flashlight, 2 AA-Cells	300/45	24.00
XB872	EN91	Replacement Batteries AA-Cell, 24/Pkg.	-	18.72/Pkg.

4AA PROJECTPRO FLASHLIGHTS

- Smart dimming technology for full control of brightness and run time
- Includes four Energizer® MAX® AA batteries
- Survives drops up to 7 meters and features a shatterproof lens
- Lamp Type: LED
- Run Time Hrs. (High): 11
- Beam Distance (High): 125 m
- Water Resistance Rating: IPX4



Energizer

Model No.	Mfg. No.	Lumens	Price /Each
XE885	HCHH41E	400	35.10

INTRINSICALLY SAFE® HANDHELD FLASHLIGHTS

- Waterproof, dustproof and impactproof
- Built-in carabineer belt clip makes for easy access
- Orange safety colour provides instant recognition
- Shatterproof lens
- Ribbed casing for secure grip
- Built for safe use in environments with water, gas, and dust
- Lamp Type: LED
- Run Time Hrs. (High): 12
- Body Material: Plastic
- Battery Type: AA
- Batteries not included
- Beam Distance (High): 175 m
- No. of Batteries: 2
- Water Resistance: IP67
- Impact Resistance: 1 m



Energizer

Model No.	Mfg. No.	Lumens	Price /Each
XI356	ENISHH21E	150	39.60

HARDCASE® PROFESSIONAL MULTI-USE LIGHTS

- Attach with the magnet, clip or wear the light for maximum versatility and hands-free usage
- Compact size makes it ideal for getting light into small, tight spaces
- Durable construction, impact resistant, shatterproof lens and water resistant
- Lamp Type: LED
- Run Time Hrs. (High): 6
- Body Material: Plastic
- Body Colour: Black
- Battery Type: AA
- Batteries included
- Beam Distance (High): 30 m
- No. of batteries required: 1



Energizer

Model No.	Mfg. No.	Lumens	Price /Each
XI055	HCMU11E	75	19.20

HARD CASE® PROFESSIONAL SPOT LIGHTS

- LEDs produce a tight white spot light
- Intense focused beam
- High and Low modes for brightness and run time control
- Ideal for long distance applications and searching
- Shatterproof lens
- Water resistant
- Rugged construction
- Durable light survives drops up to 7 meters
- Run time: High 6 hrs. 15 min., Low 22 hrs.
- Beam Distance: 425 m
- Material: Hard Plastic
- Colour: Black/Grey
- Includes 6 AA batteries



Energizer

Model No.	Mfg. No.	Description	Lumens High/Low	Price /Each
XE475	HCSP61E	Spot Light, 6 AA Cells	600/215	47.20
XB872	EN91	Replacement Batteries AA-Cell, 24/Pkg.	-	18.72/Pkg.

FLASHLIGHTS & BATTERIES

HP4 PEN LIGHTS

- Features a Bulls-Eye Spot Beam that fixes a bright "hot spot" on the object, surrounded by a soft halo of transitional light to increase the total field of view
- Beam range of up to 416 ft. (127 m)
- Water resistant
- Lamp Type: LED
- Run Time Hrs. (High): 3.5
- Body Material: Aluminum
- Battery Type: AAA
- Body Colour: Black
- Beam Distance (High): 55 m
- Batteries included
- Light Colour: White
- Length: 5.5"
- Weight: 2.2 oz.



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XI143	21217	100	33.40

G20 PENLIGHTS

- Impact and weather resistant
- Tested and rated to ANSI/FL1 standards
- Pocket clip included
- Lamp Type: LED
- Run Time Hrs. (High): 10
- Material: Aluminum
- Battery Type: AAA
- Beam Distance (High): 22 m
- Batteries Included
- Beam Optic: Inspection Beam



COAST

Model No.	Mfg. No.	Colour	Price /Each
XE980	20254	Black	22.00

DUAL-COLOUR CLIPLIGHTS

- Chip on Board (C.O.B) technology means this headlamp can cast a wide beam, and is also handy for up-close work due to the strip of LEDs built right onto the chassis
- Features a dual-colour function; all-white utility beam for general use, and a red, anti-glare beam that prevents "night blinding"
- Magnetic tail cap means you can attach the light to magnetic surfaces and use the light hands-free
- Two-way clip means you can stash the light in your pocket or clip it to the brim of your hat
- Water resistant
- Run Time Hrs. (High): 3.75
- Body Material: Aluminum
- Battery Type: AAA
- Body Colour: Black
- Beam Distance (High): 13 m
- Batteries included
- Light Colour: Red, White



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XI144	21676	80	22.20

HP7 FLASHLIGHTS

- Anti-roll feature allows the flashlight to be on an uneven surfaces without running the risk of it rolling off
- Tested and rated to ANSI/FL1 standards
- Lamp Type: LED
- Lumens (High): 410
- Run Time Hrs. (High): 2
- Body Material: Aluminum
- Battery Type: AAA
- Beam Distance (High): 229 m
- Batteries Included
- Modes: High, medium, and low



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XE965	20406	410	66.40

PX250 AREA & FLASHLIGHTS

- Chip on Board (C.O.B) technology means this headlamp can cast a wide beam, and is also handy for up-close work due to the strip of LEDs built right onto the chassis
- Twist and open the flashlight to expose the LED, dual-colour strip in the center
- Features COAST's Twist Focus system, making it easy to move between spot and flood beams by simply rotating the head of the flashlight
- Ultra View Flood beam delivers edge-to-edge clarity in a broad circle of light up to 11.5' (3.5 m) across, and the Bulls-Eye Spot beam sends a sharp ray of light at a distance of up to 663' (202 m)
- Features an emergency signalling tool
- Features a hinged, tilting head
- Hardhat compatible
- Water resistant
- Runs on 3 x AAA
- Includes hardhat clips
- Lamp Type: LED
- Body Material: Aluminum
- Body Colour: Black, Red
- Batteries included



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XI145	21759	650	61.40

HX5R RECHARGEABLE FLASHLIGHTS

- Features a USB insert found in the tail cap which can be used with USB, AC, & DC adapters
- Dual Power system allows the light to run on the custom rechargeable battery and a standard C123 alkaline battery
- Two-way clip makes it easy to clip in either direction on pockets or even the bill of a hat
- Pure Beam Focusing System with Slide Focus can easily transition from flood to spot modes with one hand
- Ultra View Flood beam delivers edge-to-edge clarity in a broad circle, and the Bulls-Eye Spot beam sends a sharp ray of light at a distance with a transitional halo around the spot to increase the effective viewing area
- Impact and water-resistant
- Includes: (1) Lithium Ion rechargeable battery, (1) AC with USB adapter, (1) DC with USB adapter, (1) Lanyard
- Lamp Type: LED
- Run Time Hrs. (High): 1.5
- Run Time Hrs. (Low): 4.25
- Body Material: Aluminum
- Body Colour: Black
- Beam Distance (High): 178 m
- Beam Options: High, Strobe, Light



COAST

Model No.	Mfg. No.	Lumens High/Low	Price /Each
XI430	21673	340/75	41.80

FLASHLIGHTS & BATTERIES

HP8R RECHARGEABLE FLASHLIGHTS

- Lightweight aluminum body
- Tested and rated to ANSI/FL1 standards
- Operates with rechargeable lithium-ion battery pack or standard AAA alkaline batteries
- Lamp Type: LED
- Run Time Hrs. (High): 2
- Body Material: Aluminum
- Body Colour: Black
- Batteries included
- Beam Distance (High): 213 m
- Beam Distance Low (Rechargeable): 60 m
- Run Time Low (Rechargeable): 26 hrs.
- Beam Distance High (Alkaline): 175 m
- Run Time High (Alkaline): 0.5 hrs.
- Modes: High, medium, and low
- Beam Optic: Pure Beam
- Length: 6.125" (15.6 cm)



COAST

Model No.	Mfg. No.	Lumens (Rechargeable) High/Low	Lumens (Alkaline) High	Price /Each
XE934	21442	760/61	515	129.00

HX5 FLASHLIGHTS

- Operates with standard AA alkaline batteries (included) or with rechargeable NiMH/Lithium batteries (sold separately)
- Impact and weather resistant
- Tested and rated to ANSI/FL1 standards
- Two-way clip included
- Lamp Type: LED
- Run Time Hrs. (High): 3.75
- Body Material: Aluminum
- Body Colour: Black
- Batteries included
- Beam Distance (High): 79 m
- Mode: High
- Beam Optic: Pure Beam
- Length: 4" (10.16 cm)



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XE972	20830	130	30.90

400 PURE BEAM FOCUSING FLASHLIGHTS

- Waterproof, drop proof, and crush proof
- Cycle between full light, medium light, and low light options with the push of a button
- Pure Beam Focusing System with Twist Focus can easily transition from flood to spot modes by simply rotating the head of the flashlight
- Ultra View Flood beam delivers edge-to-edge clarity in a broad circle
- Bulls-Eye Spot beam sends a sharp ray of light at a distance with a transitional halo around the spot to increase the effective viewing area
- Lamp Type: LED
- Run Time Hrs. (High): 3
- Run Time Hrs. (Medium): 7
- Run Time Hrs. (Low): 29
- Body Material: Polysteel
- Body Colour: Black
- Battery Type: AAA
- Batteries included
- Beam Distance (High): 210 m
- Beam Options: High, Medium, Low
- No. of Batteries: 4
- Length: 5-3/4"
- Weight: 6.4 oz.
- IP Rating: IPX8



COAST

Model No.	Mfg. No.	Lumens High/Medium/Low	Price /Each
XI429	20860	440/200/60	33.40

POLYSTEEL FLASHLIGHTS

- Impact resistant and waterproof
- Tested and rated to ANSI/FL1 standards
- Pure Beam Optic System allows for good visibility in all types of weather
- Lamp Type: LED
- Body Material: Plastic
- Body Colour: Black
- Batteries included
- Modes: High, medium and low
- Beam Optic: Pure Beam



XE932

COAST

Model No.	Mfg. No.	Battery Type	Lumens High/Low	Run Time High/Low	Beam Distance High/Low	Length"	Price /Each
XE933	20466	AAA	320/30	3.75/34 hrs.	118/37 m	5	26.20
XE932	20835	AA	710/73	2.25/40 hrs.	247/78 m	7.9	39.40

G26 FLASHLIGHTS

- Impact and weather resistant
- Tested and rated to ANSI/FL1 standards
- Lamp Type: LED
- Run Time Hrs. (High): 3.25
- Beam Distance (High): 32 m
- Body Material: Aluminum
- Body Colour: Black
- Battery Type: AA
- Batteries included
- Mode: High
- Beam Optic: Utility Beam
- Length: 6.05" (15.36 cm)



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XE979	20402	120	28.70

G32 FLASHLIGHT

- Impact and weather resistant
- Tested and rated to ANSI/FL1 standards
- Pocket clip included
- Lamp Type: LED
- Lumens (High): 355
- Run Time Hrs. (High): 0.78
- Beam Distance (High): 132 m
- Body Material: Aluminum
- Body Colour: Black
- Battery Type: AA
- Batteries included
- Mode: High
- Beam Optic: Pure Beam
- Length: 6.4" (16.3 cm)



COAST

Model No.	Mfg. No.	Lumens	Price /Each
XE978	21440	355	33.60

FLASHLIGHTS & BATTERIES

PENLIGHTS

- The integrated clip can be mounted to a safety vest for hands free lighting
- Engineered with an aluminum core and ABS overmolded plastic, the Pelican™ 1970 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth
- Activates with a click of the tail switch or light pressure for momentary use
- Powered by 2 AAA alkaline batteries
- Lamp Type: LED
- Run Time Hrs. (High): 4.3
- Body Material: Plastic
- Body Colour: Black
- Beam Distance (High): 29 m
- Batteries included
- Light Colour: White
- Weight: 1.8 oz.
- Length: 5.75"
- IP Rating: IPX4



Model No.	Mfg. No.	Lumens	Price /Each
XI293	019700-0100-110	139	26.00

3315 COMPACT LED FLASHLIGHTS

- Compact, rugged and lightweight
- Constructed of high impact ABS
- Powered by three AA alkaline batteries (included)
- Water resistant IPX4
- Class I II III, Div. 1, GP. ABCDEFG T4 Exia
- Lamp Type: LED
- Run Time Hrs. (High): 19
- Body Material: Plastic
- Body Colour: Yellow
- Battery Type: AA



Model No.	Mfg. No.	Lumens	Price /Each
XD019	033150-0103-245	160	60.10

5050R RECHARGEABLE FLASHLIGHTS

- Flood position projects a wide beam to illuminate your work area and spot beam for a long distance focused beam
- Recharge by connecting directly to its Micro USB port or connect to a USB port to power your smartphone or any other USB powered device
- Powered by one lithium-ion 18650 rechargeable battery
- Lamp Type: LED
- Run Time Hrs. (High): 2.5
- Run Time Hrs. (Low): 40
- Body Material: Aluminum
- Body Colour: Black
- Batteries included
- Beam Distance (High): 134 m
- Weight: 5.8 oz.
- Length: 6.16"
- Light Modes: Boost, High, Low, Flashing
- IP Rating: IPX8
- Charge Time: 6 hrs.
- Voltage: 3.7 V



Model No.	Mfg. No.	Lumens High/Low	Price /Each
XI302	050R-0100-110	393/21	121.00

2360 LED FLASHLIGHTS

- Tactical tail switch offers one-handed operation
- Removable pocket clip delivers convenient transport options
- Impact resistant construction for long lasting service life
- High & low power modes provide versatile lighting options
- Lamp Type: LED
- Run Time Hrs. (High): 2.5
- Run Time Hrs. (Low): 13
- Beam Distance (High): 150 m
- Body Material: Aluminum
- Body Colour: Black
- Battery Type: AA
- Batteries included



Model No.	Mfg. No.	Lumens High/Low	Price /Each
XC807	023600-0002-110	375/29	74.80

SABRELITE™ LED FLASHLIGHTS

- Polycarbonate lens
- One-handed safety switch operation
- Submersible
- Lamp Type: LED
- Run Time Hrs. (High): 22
- Body Material: Plastic
- Batteries Required: 3 C (not included)
- Body: EXL
- Approvals: Class I Div. 1, Class II Div. 1, Class III Div. 1, IECEx ia



Model No.	Mfg. No.	Lumens	Body Colour	Price /Each
XC061	2010-014-110	161	Black	110.00
XC062	2010-014-245	161	Yellow	110.00

STEALTHLITE™ LED FLASHLIGHTS

- Cutting edge Recoil™ LED Technology™, up to 33 times brighter than regular LED lights
- ABS body with polycarbonate lens
- One-handed safety switch operation
- Submersible to 500'
- Lamp Type: LED
- Run Time Hrs. (High): 7.5
- Body Material: Plastic
- Beam Distance (High): 184 m
- Batteries Required: 4 AA (Included)
- Approvals: FM Class I, Div. 2, Groups ABCD, T4A; Class II, Div. 2, Groups FG



Model No.	Mfg. No.	Lumens	Body Colour	Price /Each
XC066	2410-014-110	183	Black	110.00
XC067	2410-014-245	183	Yellow	110.00

FLASHLIGHTS & BATTERIES

MAGNETIC RIGHT ANGLE FLASHLIGHTS

- Equipped with both a spot and flood LED for close-up as well as distance
- Can be activated to run one or both LEDs with 3 levels of brightness
- The articulating head and built-in clip allows the light to be directed wherever it is needed
- Security lanyard
- A heavy-duty magnet allows the light to be snapped to steel surfaces
- The Class I, II, III, Division 1 certifications provide the security needed for most hazardous locations
- Powered by 3 AA alkaline batteries
- Run Time Hrs. (High): 6
- Run Time Hrs. (Low): 15
- Beam Distance (High): 133 m
- Body Material: Plastic
- Body Colour: Yellow
- Batteries included
- Weight: 9.6 oz.
- Length: 7.44"
- Light Modes: Spot/Flood, Flood, Spot, Flashing
- Certification(s): Class I, Division 1 / Class II, Division 1 / Class III, Division 1 / IECEx ia
- IP Rating: IPX8



Model No.	Mfg. No.	Lumens High/Low	Price /Each
XI300	034150-0301-245	336/177	75.90

STYLUS PRO® & MICROSTREAM® PENLIGHTS

- Compact, high-powered LED penlights provide a super bright beam
- Constructed of corrosion proof, machined aircraft-grade aluminum alloy with Type II MIL-Spec anodized plating
- 30 000 hour lifetime 0.5 watt LED never needs to be replaced
- Water resistant per code IPX4; in accordance with specification EN 60529:1992
- Tail switch features momentary blink and constant "on" modes
- Matte black finish

STYLUS PRO®

- Run time: Up to 8 regulated hours
- Includes: 2 AAA alkaline batteries, nylon holster and pocket clip **XC394**



XC395

MICROSTREAM®

- Run time: Up to 2.25 hours
- Includes: 1 AAA alkaline battery, pocket clip and lanyard



Model No.	Mfg. No.	Description	Lumens	Price /Each
XC394	66118	Stylus Pro®	100	41.80
XC395	66318	Microstream®	45	35.80

STYLUS® PENLIGHTS

- High intensity LED lasts 100 000 hours
- Up to 24 hours of continuous run time
- XB942** has a flexible cable making it possible to see anywhere
- Includes 3 AAAA alkaline batteries
- Black casing with pocket clip



XB943



Model No.	Mfg. No.	Description	Lumens	Price /Each
XB943	65118	Stylus® Penlight, 3.5 oz.	11	29.00
XB942	65618	Stylus Reach® Penlight - 7" Cable, 3.5 oz.	11	39.50

RIGHT ANGLE 3715 LED FLASHLIGHTS

- Compact, rugged and lightweight
- Featuring downcast LEDs for illuminating your path
- Built-in battery life indicator
- Powered by four AA alkaline batteries (not included)
- Water-resistant IPX4
- Class I, Div. 1 Groups ABCD Operating Temp. Class T4
- Run Time Hrs. (High): 4
- Run Time Hrs. (Low): 7
- Lumens (Downcast): 31
- Run Time Hrs. (Downcast): 31
- Body Material: Plastic
- Body Colour: Yellow



Model No.	Mfg. No.	Lumens High/Low	Price /Each
XD017	3715-020-245	223/113	212.00

PROTAC® PROFESSIONAL TACTICAL LIGHTS

- 6000 Series machined aircraft aluminum with anodized finish
- Super bright C4® LED is impervious to shock and has a 50 000 hour lifetime
- LED solid state power regulation provides maximum output throughout battery life
- IPX rated design; waterproof to 1 m for 30 minutes
- Ten-Tap™ programmable switch allows selection of one of three programs: High/Strobe/Low, High only or Low/High
- Includes batteries and holster



Model No.	Mfg. No.	Description	Lumens	Run Time hrs.	Battery	Price /Each
XC770	88030	ProTac® 1 L	275	2	One 3 V Lithium	91.10
XC771	88031	ProTac® 2 L	300	3	Two 3 V Lithium	103.30
XC773	88033	ProTac® 2 AA	250	2	2 AA Alkaline	85.10

STREAMLIGHT JR.® LED FLASHLIGHTS

- Super bright C4® LED is impervious to shock and provides up to 225 lumens
- Push-button tail switch - steady on and momentary on/off operation
- Impact-resistant/water-resistant
- XC247** includes holster
- XC248** includes extension cable that allows for 14" of reach, flexible cable protected by a durable PVC coating, packaged with magnetic clip holder for mounting and positioning
- XC248:** Beam Distance: 77 m
- Includes 2 AA size alkaline batteries (also accepts 2 AA lithium batteries not included)



Model No.	Mfg. No.	Description	Lumens	Run Time hrs.	Price /Each
XC247	71500	Streamlight Jr® LED w/Alkaline Batteries, Black	225	6	66.90
XC248	71600	Streamlight Jr. Reach® LED Flashlight	115	7.5	83.50
BATTERIES					
XB872	EN91	Replacement Batteries, AA Cell, 24/pkg.	-		18.72/Pkg.

FLASHLIGHTS & BATTERIES

PROTAC® HL & HL3 TACTICAL FLASHLIGHTS

- Hand-held, lithium battery-powered programmable flashlight constructed of anodized machined aircraft aluminum
- IPX7; waterproof to 1 meter for 30 minutes
- Impact resistant to 1 meter
- Multi-function, push-button tail switch for one-handed operation
- Choice of three operating modes: 1) high/strobe/low (factory default), 2) high only, 3) low/high
- Lamp Type: C4 LED
- Model **XC954**: Includes two 3 V CR123A lithium batteries and nylon holster
- Model **XD783**: Includes three 3 V CR123A lithium batteries, removable pocket clip and nylon holster



XC954



Model No.	Mfg. No.	Description	Lumens High	Lumens Low	Run Time hrs. High	Run Time hrs. Low	Price /Each
XC954	88040	ProTac® HL	750	35	1.25	18	164.00
XD783	88047	ProTac® HL3	1100	35	2	43	189.00

3AA PROPOLYMER® DUALIE® FLASHLIGHTS

- C4® LED technology for extreme brightness
- IPX7 waterproof to 1m for 30 minutes
- 2 metre impact resistance tested
- Durable, non-conductive, corrosion-proof polymer resin body
- Lamp Type: LED
- Run Time Hrs. (High): 18
- Battery Type: AA
- Beam Distance (High): 171 m
- Batteries included



XE760



Model No.	Mfg. No.	Lumens	Body Colour	Price /Each
XE760	68750	140	Yellow	63.80
XE761	68752	140	Black	63.80

TWIN-TASK® LED FLASHLIGHTS

- Super bright C4® LED is impervious to shock and has a 50000 hour lifetime
- Unbreakable polycarbonate lens
- IPX4 rated for water-resistant operation, all openings are O-ring sealed, 1 meter impact resistance tested and wrist lanyard included
- Features: 2 hr 45 min on one LED, 5 hr 15 min on five LEDs
- Battery: 3 AAA size alkaline batteries, Output: One LED - 100 lumens, five LEDs - 68 lumens
- Pre-focused visible red laser cartridge, laser output: Useable range of over 100 yards when using laser pointer only; over 100' when in laser/C4® LED combo position



Model No.	Mfg. No.	Lumens	Price /Each
XC762	51043	100	80.60

4AA PROPOLYMAX® HIGH-OUTPUT FLASHLIGHTS

- C4® LED technology for extreme brightness
- Impact and chemical resistant engineering polymer resin
- Unbreakable polycarbonate lens with scratch resistant coating
- Smooth parabolic reflector produces a tight beam with optimum peripheral illumination
- TEN-TAP® programmable switch allows user selection of one of three different programs
- Run Time Hrs. (High): 2.75
- Run Time Hrs. (Low): 24
- Beam Distance: 261 m
- 4 AA batteries included



Model No.	Mfg. No.	Lumens High/Low	Price /Each
XD492	68820	300/50	212.00

STINGER® LEDS & POLYSTINGER® LEDS

- Compact, rechargeable flashlights that are not only durable, but super bright
- Charge time: 4.5 hours
- Push button switches on the head for momentary or constant "on-off" switching
- Includes a NiMH battery that is rechargeable up to 1000 times
- Optional accessories: safety wands, 5-unit bank charger, ring holder, holster, PiggyBack® charger, coloured flip lens covers
- 4 modes of lighting: High, Medium, Low or Strobe
- Features a LED that is impervious to shock and has a 50000 hour lifetime - never needs to be replaced
- Run times: **High beam** - Up to 3 continuous hours;
Medium - Up to 5.5 continuous hours;
Low - 10 continuous hours;
Strobe - Up to 5.5 continuous hours
- Stinger® LED constructed of aircraft machined aluminum with polycarbonate lens
- PolyStinger® LED is constructed of super-tough non-conductive nylon polymer with a non-slip rubber grip



XC397



XC480



Model No.	Mfg. No.	Description	Lumens	Approvals	Price /Each
XC397	75713	Stinger® LED	425	-	235.00
XC480	76163	PolyStinger® LED	485	-	230.00

FLASHLIGHTS & BATTERIES

PROPOLYMER® FLASHLIGHTS

- Waterproof, non-conductive polymer casings
- Easy to use push button momentary or constant "on-off" switching
- XC051** and **XC054** feature super bright, 100 000 hour lifetime LEDs
- XC056** contains a super high flux LED with a 10 000 hour lifetime
- XC054** and **XC056** include batteries
- XC051** has a spring loaded clip
- XC051** and **XC054** are CUL Listed Class I, II, Div. 2, Class III and MSHA approved
- XD467** is CUL Listed for Class I, II, Div. 1, Class III and MSHA approved
- XC056** is CUL Listed for Class I, II, Div. 2, Class III
- XD304** and **XD487**: ANSI/UL 913 CAN/CSA C22.2 No. 157-92 intrinsically safe equipment for use in hazardous locations
- XD436**: Intrinsic Safety for Haz. Loc. Class I, II, Div. 1, Groups A,B,C,D,E,F,G; Class III, T4A



Model No.	Mfg. No.	Description	Lumens	Price /Each
XC051	33202	3 C LED, 336 Hours of Continuous Run Time	85	70.40
XC054*	68202	4 AA LED, 155 Hours of Continuous Run Time	67	50.00
XC056*	68244	4 AA Lux LED, Div. 2, 4 Hours with 2 Additional Hours of Declining Usable Light	100	68.40
XD436	62202	3 "N" Size Alkaline, LED, 120 Hours of Continuous Run Time	30	32.90
XD467*	67101	2 AA LED, HAZ-LO*, 24 Hours of Continuous Run Time	65	38.00
XD487	68720	3 AA LED, HAZ-LO*, 6.5 Hours of Continuous Run Time	120	82.10
XD304	33820	3 C LED, HAZ-LO*, 18 Hours of Continuous Run Time	150	88.90

* Batteries included

SURVIVOR®

- Brightest right-angle LED flashlight available
- Features a C4° LED with a 405 m. range and optimal peripheral illumination
- LED produces up to 175 lumens and has a 50 000 hour lifetime
- Raised push button switch features: High, Low, Flash and moonlight
- Run time (rechargeable): **High** 3.5 hours; **Flash** 5 hours; **Moonlight** 20 days
- Run time (alkaline): **High** 4 hours; **Low** 15 hours; **Flash** 8 hours; **Moonlight** 20 days
- Constructed of high-impact, super-tough nylon for durability and O-ring sealed for water-resistance
- Unbreakable polycarbonate lens with silicone anti-scratch coating
- Rechargeable models also include alkaline battery pack (alkaline batteries not included)
- Operates on 4 AA alkaline or rechargeable NiMH battery pack
- Serialized for easy identification
- UL Approved for Class I, Div. 1, Groups C, D; Class I, Div. 2, Groups A, B, C, D; Class II Div. 11, Groups F, G; Class III, T4, MSHA alkaline only



Model No.	Mfg. No.	Description	Lumens High	Lumens Low	Colour	Price /Each
XC400	90513	Survivor® Rechargeable	175	60	Yellow	253.00
XC401	90503	Survivor® Rechargeable	175	60	Orange	253.00
XC402	90540	Survivor® Alkaline	175	60	Orange	114.00
XC403	90541	Survivor® Alkaline	175	60	Yellow	114.00
XC405	90542	Alkaline Battery Pack (Batteries Not Included)	-	-	-	7.45

KNUCKLEHEAD® SPOT LED FLASHLIGHTS

- Shockproof C4° premium LED technology
- Deep dish parabolic reflector produces a focused beam for longer distances: 210 m on high beam
- Durable spring-loaded clip for easy attachment to turnout gear and uneven surfaces
- Features a 210° articulating head that rotates a full 360°
- Four modes: **High**: 11,000-candela peak beam intensity, 180 lumens, 3.5-hour runtime
Low: 3300-candela peak beam intensity, 55 lumens, 16-hour runtime
Moonlight: 20-day runtime
Flash: 8-hour runtime
- Dual power source: accepts rechargeable NiCad battery pack or four AA alkaline batteries
- Rubber dome push-button actuator is easy to operate even when wearing heavy gloves
- Removable magnet with 135-lb. pull strength features a replaceable rubber boot
- Optimized electronics provide regulated intensity
- High-impact, super-tough nylon polymer construction for exceptional durability
- 2-m impact-resistance tested
- IPX4-rated for water-resistance



Model No.	Mfg. No.	Description	Lumens	Price /Each
XD010	90757	Knucklehead® Spot 120 V AC/12 V DC, Orange	180	301.00
XD011	90761	Knucklehead® Spot 120 V Fast Charge, Orange	180	338.00
XD012	90770	Knucklehead® Spot 12 V Fast Charge, Orange	180	338.00
XD013	90011	AC Fast Charger (Includes Holder)	-	91.30
XC405	90542	Alkaline Battery Pack (Batteries Not Included)	-	7.45
XB872	EN91	Replacement Alkaline Batteries, AA, 24/Pkg.	-	18.72/Pkg.

KNUCKLEHEAD® FLOOD LED FLASHLIGHTS

- High-impact super-tough nylon offering exceptional durability
- Super-bright C4° LED is impervious to shock and has a 50 000 hour lifetime
- IPX4-rated for water resistant operations
- All openings O-ring sealed
- Full 360° rotation head with 210° of articulation
- Removable magnet with 135-lb. pull strength and integrated hook
- Lens is an unbreakable polycarbonate with silicone anti-scratch coating and is assembled in a heavy-duty bezel
- XD862**: AC/DC - Class I, Div. 1 approved for hazardous locations
- XD863**: Class I, Div. 1 approved for hazardous locations
- XD863** includes 4 AA alkaline batteries
- Charger meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position



Model No.	Mfg. No.	Battery	Lumens	Price /Each
XC766	90627	Industrial Rechargeable NiMH 4.8 V Can be Charged Up to 1000 Times	200	301.00
XC767	90642	4 AA Alkaline Non-Rechargeable Battery Pack	200	167.00
XD862	91627	HAZ-LO® Rechargeable Worklight	163	319.00
XD863	91642	HAZ-LO® Worklight	163	173.00
ACCESSORIES				
XC823	90400	Bank of 5 Chargers 120 V AC for XC766 & XD862	-	595.00

FLASHLIGHTS & BATTERIES

E-FLOOD® LITEBOX® RECHARGEABLE LANTERNS

- Produces up to 4000 candelas and has 615 lumens on high power
- IPX4-rated design for weather resistant operation
- Fits existing Streamlight LiteBox® racks
- Six LEDs produce a smooth flood pattern
- Battery is a zero maintenance 6 V, 12 Ah sealed lead acid and is rechargeable up to 500 times
- Red and green LEDs provide charge status
- Charge rack meets requirements of NFPA standard 1901-14.1.11.2 (2003) mounted in any position



Model No.	Mfg. No.	Colour	Lumens	Price /Each
XC757	45801	Orange	615	386.00
XC758	45821	Yellow	615	386.00
XD384	45817	Beige	615	389.00

WAYPOINT® PISTOL GRIP SPOTLIGHTS

- C4® LED technology, with a 50 000 hour lifetime
- Three modes of lighting: High, low and emergency signal
- IPX4 rated design for water resistant operation
- Integrated stand for hands-free scene lighting
- Unbreakable polycarbonate lens
- **XC764** and **XC765**: Powered by 4 "C" batteries (not included) or 12 V DC power cord (included)
- Run time (**XC764** and **XC765**): High 10 hrs.; 12 V DC power cord: Unlimited
- Run time (**XD331** and **XD332**): High 3.75 hrs.



Model No.	Mfg. No.	Lumens	Description	Colour	Price /Each
XC764	44900	550	Spotlight, Alkaline Batteries	Yellow	114.00
XC765	44902	550	Spotlight, Alkaline Batteries	Black	114.00
XB874	EN93	-	Replacement batteries, C-cell, 12/pkg.	-	20.40/pkg
XD331	44910	1000	Spotlight, Rechargeable	Yellow	228.00
XD332	44911	1000	Spotlight, Rechargeable	Black	228.00

FIRE VULCAN® LED

- Lightweight, waterproof lantern features super bright C4® LED technology and two blue taillight LEDs that provide illumination both in front of and behind the lantern
- C4® LED produces up to 80 000 Candela (Peak Beam Intensity), is impervious to shock and has a 50 000 hour lifetime
- The 2 ultra-bright blue taillight LEDs can be seen through thick smoke
- Run times: Steady LED and taillights - Up to 3 hours to the 10% output level (High) and up to 7 hours (Low)
- 8 total programmable functions - 4 functions when toggle switch in "left" position and 4 functions when toggle switch is in "right" position
- IPX7 rated design - waterproof to 1 meter for 30 minutes; lantern floats
- Raised handle and toggle "on-off" switch ensure ease of use with a gloved hand
- Super lightweight lithium ion battery recharges in 5 hours
- Includes shoulder strap, AC/DC charge cords and charging rack
- Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F, G; Class III T-Code: T4
- Rack meets requirements of NFPA standard 1901-14.1.11.2 (2003) mounted in any position



Model No.	Mfg. No.	Lumens High/Low	Price /Each
XC406	44450	145/70	357.00

E-SPOT® LITEBOX® RECHARGEABLE LANTERNS

- Uses three LEDs and deep-dish parabolic reflectors to produce a large spot pattern
- Run time: High - up to 7 continuous hours; Low - up to 15 continuous hours
- Produces up to 55 000 candelas and has 540 lumens on high power
- IPX4 rated design for weather resistant operation
- Fits existing Streamlight LiteBox® racks
- Includes 6 V, 12 Ah sealed lead acid rechargeable battery; rechargeable up to 500 times
- Rack meets requirements of NFPA standard 1901-14.1.11.2 (2003) mounted in any position



Model No.	Mfg. No.	Lumens	Colour	Price /Each
XC759	45851	540	Orange	348.00
XC760	45871	540	Yellow	348.00

SIEGE® COMPACT LANTERNS

- C4 LED technology for extreme brightness
- A rugged, compact lantern
- 360° soft even lighting that illuminates a large area
- Multiple modes
- Stand it upright or to use as an overhead light hang it with the D-ring on base of lantern
- IPX7 waterproof to 1 m submersion
- 2 m impact resistance tested
- Floats so you can retrieve it if you drop it in the water
- Colour: Black/Green
- RoHS compliant
- Batteries not included



XD340



Model No.	Mfg. No.	Description	Beam Distance	Lumens High Low	Run Time Hrs. High Low	Price /Each
XD340	44931	Lantern, 3 D-Cell Batteries	200 m	540 55	30 295	78.90
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.				21.84/Pkg.
XE647	44941	Lantern, 3 AA-Cell Batteries	100 m	200 50	7 37	58.30
XB872	EN91	Replacement AA-Cell Batteries, 24/pkg.				18.72/Pkg.

PORTABLE RECHARGEABLE LED SCENE LIGHTS

- Six C4® LEDs and wide pattern parabolic reflectors produce a smooth flood pattern
- Indefinite run time with 12 V power cord
- 3 levels of lighting
- Wattage: 36 W
- Stabilization legs provide balance on uneven surfaces
- 90° swivel neck allows you to aim the beam where you need it for task lighting
- Packs to a compact size for easy storage
- Pole extends to 72"
- Weatherproof construction



Model No.	Mfg. No.	Description	Lumens	Price /Each
XE753	45670	Portable Rechargeable LED Scene Light	5300	1486.00

FLASHLIGHTS & BATTERIES

MAGLITE® MINI

MINI MAGLITE® AA-CELL

- High-strength aluminum alloy case
- 1/2 turn, twist focus, spot-to-flood
- Candle mode for convenient hands free light
- Spare lamp safely secured in the tail cap
- O-ring sealed for water resistance
- Super-bright Xenon Lamp™
- Includes 2 AA alkaline batteries in all package types

MINI MAGLITE® AAA-CELL

- High-strength aluminum alloy case
- Twist focus, spot-to-flood
- Spare lamp safely secured in the tail cap
- O-ring sealed for water resistance
- **XD004:** 87 lumens LED, 116 m beam distance
- Includes: Pocket clip and 2 AAA alkaline batteries

SOLITAIRE® AAA-CELL

- High-strength aluminum alloy case
- Less than 1 oz. and about 3" in length
- Spare lamp safely secured in the tail cap
- **XD003:** 37 lumens LED, 55 m beam distance
- Includes: 1 AAA alkaline battery and key lead lanyard



XA679



Model No.	Description	Lumens	Price /Each
MINI MAGLITE® AA-CELL			
XA669	Blister Pack	14	18.50
XA678	Holster Pack	14	19.60
XA679	Combo Pack	14	19.20
MINI MAGLITE® AAA-CELL & MINI MAGLITE® LED			
XA680	Blister Pack	9	16.30
XD004	LED Black, Blister Pack	87	31.30
SOLITAIRE® & SOLITAIRE® LED			
XA681	Black, Blister Pack	2	10.60
XD003	LED Black, Blister Pack	37	26.90
REPLACEMENT BULBS			
XA701	Solitaire® Replacement Bulb	-	3.99
XA703	Replacement Bulb, fits AA and AAA	-	3.99

MAGLITE® LED D-CELL FLASHLIGHTS

- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED, for a brilliant adjustable beam
- Intelligent Energy Source Management balances high brightness with extended battery life
- Powerful projecting LED beam that focuses spot to flood simply by rotating the head
- Rugged, machined aluminium construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Water and shock resistant
- Batteries not included
- Beam Distance: 412 m

XC240



MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens	Run Time hrs.	Price /Each
XC239	ST2D016	2 D-Cell Flashlight	168	6.75	63.60
XC240	ST3D016	3 D-Cell Flashlight	168	80	63.60
BATTERIES					
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.			21.84

MAGLITE® D-CELL

- Cam driven beam changes from flood to spot with a turn of the head
- Anodized aircraft aluminum with knurled grip enhances conductivity, increases durability, reduces oxidation and battery damage
- White Star krypton lamp provides 70% more light than a standard PR2 lamp
- Spare krypton lamp included in tail cap
- Rubber O-rings ensure resistance to water and shock
- Batteries not included

XA385



Model No.	Mfg. No.	Description	Lumens	Price /Each
XA384	S2D016	2 D-Cell Flashlight	27	47.60
XA385	S3D016	3 D-Cell Flashlight	45	49.10
XA386	S4D016	4 D-Cell Flashlight	98	50.90
REPLACEMENT BULBS				
XC955	LMXA201	Bi-Pin Xeon Bulb for 2 Cell	-	6.39
XC956	LMXA301	Bi-Pin Xeon Bulb for 3 Cell	-	6.39
XC940	LMXA401	Bi-Pin Xeon Bulb for 4 Cell	-	6.39
BATTERIES				
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.	-	21.84

MAGLITE® FLASHLIGHT ACCESSORIES



Model No.	Description	Price /Each
XB344	Belt Holster, Black Leather for 2 AA-Cell	15.50
XB345	Belt Holster, Black Nylon for 2 AA-Cell	7.19
XC386	Belt Holster, Camouflage Nylon for 2 AA-Cell	7.39
XB347	Belt Holster for D-Cell	12.20
XC080	Rubber Anti-Roll Device/Lens Holder; Red, Clear and Blue Lenses; 2 D-Cell Mounting Brackets for D-Cell	17.30
XC081	Red, Blue and Clear Lenses; Anti-Roll Device/Lens Holder; Wrist Lanyard; Pocket Clip for 2 AA-Cell	7.89
TRAFFIC WAND KITS W/REFLECTIVE TAPE		
XC082	Red, for C-Cell and D-Cell only	16.20
XC083	Yellow, for C-Cell and D-Cell only	16.20
XC084	White, for C-Cell and D-Cell only	16.20

FLASHLIGHTS & BATTERIES

MINI MAGLITE® LED & PRO™

- Powerful projecting LED beam that focuses simply by rotating the head
- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED yielding high output intensity
- Intelligent Energy Source Management allows the user choose the power level
- Multi-mode electronic switch: 100% power, 25% power, blink, SOS (XC238 only)
- Length: 6.6"
- Maglite® Pro™ offers latest generation LED
- Includes: 2 AA size alkaline batteries and belt holster



MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens	Price /Each
XC238	SP2201H	Mini Maglite® LED Flashlight, 2 AA-Cell	97	42.70
XC814	SP2P01H	Mini Maglite® LED Pro™ Flashlight, 2 AA-Cell	272	49.30

BATTERIES

XB872	EN91	Replacement Batteries, AA, 24/Pkg.	-	18.72/Pkg.
-------	------	------------------------------------	---	------------

MAG CHARGER® LED SYSTEM FLASHLIGHTS

- High-tech metallic reflector, combined with a tempered glass lens that delivers superior optical performance
- Durable sleek black finish, hard-anodizing inside and out for improved durability
- O-ring sealed throughout for resistance to weather and harsh environmental conditions
- Precision machined high-strength aluminum alloy case
- Individually serial numbered for identification
- NiMH rechargeable battery offers 434 m powerful projecting LED adjustable beam
- 643 lumens lasting 17 hours at low setting or 4 hours at high setting
- Quick access to your preferred functions: Full power, Power save (25%) Strobe (5/sec), SOS (Int'l Morse code), Momentary On/Off
- Length: 12 1/2"
- Weight: 2 lbs.

XD007 System (V4) Includes:

Mag Charger® flashlight, charging cradle, NiMH rechargeable battery pack, two mounting brackets, 120 V converter, mobile power adapter (12 V)



MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens	Price /Each
XD007	RL1019	Rechargeable LED System	643	175.00
XC849	ARXX235	Replacement NiMH Battery Pack	-	64.40

MAGLITE® XL50™ LED FLASHLIGHTS

Delivers user-friendly, performance-oriented features in a sleek, tactical design and is driven by the next generation of Mag-LED® technology.

FEATURES:

- 213 m powerful projecting LED beam
- 200 lumens
- "Spot-to-Flood" adjustable LED beam
- Push button tail-cap switch
- Compact, pocket size design
- Anodized for corrosion resistance and durability
- Rugged, machined aluminum body
- Intelligent Energy Source Management - continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life

3 QUICK-CLICK SELECTABLE MODES:

- 1 Quick-click turns unit "ON" at high power
- 2 Quick clicks = Energy savings on at 25% power
- 3 Quick clicks = Emergency safety strobe
- Powered by three AAA alkaline batteries (included)

SPECIFICATIONS:

- Length: 4.8" (121.92 mm)
- Barrel diameter: 1" (25.4 mm)
- Head diameter: 1" (25.4 mm)
- Weight with batteries: 3.68 oz. (104 g)



BELT HOLSTERS FOR XL SERIES™ FLASHLIGHTS

- Rugged woven ballistic nylon
- Weather-resistant lock-stitched thread
- Click-adjustable rotating belt clip
- Accepts belts up to 1 5/8" wide
- Flashlight can be aimed while holstered
- Allows hands-free operation



MAGLITE® XL200™ LED FLASHLIGHTS

The XL200™ offers five basic, easy to use functions and advanced features and brightness of a next-generation LED.

The simple "Quick-Click" method let's the user select the desired function with motion-controlled variable power level and blink rate.

FEATURES:

- 224 m powerful projecting LED beam
- 172 lumens
- "Spot-to-Flood" adjustable LED beam
- Push button tail-cap switch
- Anodized for corrosion resistance and durability
- Rugged, machined aluminum body
- Sealed at both ends with high-grade rubber O-rings and lip seals

5 QUICK-CLICK SELECTABLE MODES:

- 1 Quick-click turns unit "ON" at high power
- 2 Quick-clicks = Emergency safety strobe
- 3 Quick-clicks = Nite Lite™ mode
- 4 Quick-clicks = Signal mode
- 5 Quick-clicks = SOS mode
- Powered by three AAA alkaline batteries (included)

SPECIFICATIONS:

- Length: 4.8" (121.92 mm)
- Barrel diameter: 1" (25.4 mm)
- Head diameter: 1" (25.4 mm)
- Weight with batteries: 3.68 oz. (104 g)



MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens	Price /Each
XC841	XL50-S3016	3 Mode, AAA, LED	200	69.10
XC842	XL200-S3016	5 Mode, AAA, LED	172	88.90
XC843	XLXXX-A3046	Belt Holster	-	22.20
XB873	EN92	Replacement Batteries, AAA, 24/Pkg.	-	20.64/Pkg.

FLASHLIGHTS & BATTERIES

CREE® HEADLAMPS

- Head angle is adjustable
- Adjustable in/out zoom
- Water resistant
- 3 settings: High, Low and Strobe
- Batteries Required: 3 AAA
- Run Time Hrs. (High): 6
- Run Time Hrs. (Low): 20
- Beam Distance (High): 120 m
- Batteries not included



aurora tools®

Model No.	Lumens High/Low	Price /Each
XE887	120/30	28.50

HEADLAMP

- 7 ultra bright LED lights
- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Water resistant
- Lightweight design
- Tilting head and adjustable head strap
- Batteries Required: 3 AAA
- Lamp Type: LED
- Battery Type: AAA
- Body Colour: Silver
- Beam Distance (High): 10 m
- Batteries Included/Not Included: Not Included
- Light Colour: White



aurora tools®

Model No.	Lumens	Price /Price
XC658	21	12.25

HARDCASE RUGGED LED HEADLAMPS

- Rugged LED headlamp with rear-mounted battery pack
- Multiple lighting modes (spot/flood, high/low)
- Includes 3 AA Energizer® MAX® batteries
- Run Time Hrs. (High): 6.5
- Lamp Colour: Black
- Beam Distance (High): 100 m
- Water Resistance: IPX4



Energizer

Model No.	Mfg. No.	Lumens	Price /Each
XC679	TUFHD31PE	325	49.00

FL19 FLOOD BEAM HEADLAMPS

- Wide Angle Flood Beam illuminates the broadest possible area - at 6 ft. (1.8 m), the beam shines a clear circle up to 11.5 ft. (3.5 m) in diameter
- Features a dual-colour function; all-white utility beam for general use, and a red, anti-glare beam that prevents "night blinding"
- Features an emergency signaling tool
- Hardhat compatible
- Dual power function to save battery
- Features a hinged, tilting head
- Water resistant
- Reflective strap increases safety and ensures visibility in low light
- Runs on 3 x AAA
- Lamp Material: Aluminum
- Body Colour: Black
- Lamp Type: LED
- Run Time Hrs. (High): 3.25
- Run Time Hrs. (Low): 17
- Beam Distance (High): 38 m
- Beam Distance (Low): 15 m
- Batteries included
- Light Colour: White
- Battery Location: Front
- Weight: 85 g



COAST®

Model No.	Mfg. No.	Lumens High/Low	Price /Each
XI138	21679	330/45	33.40

HD VISION INDUSTRIAL HEADLAMPS

- Dimmable to control brightness and runtime
- Pivots to direct light where you need it
- Includes 3AAA Energizer® MAX® batteries
- Lamp Type: LED
- Lamp Material: Plastic
- Run Time Hrs. (High): 4.33
- Beam Distance (High): 55 m
- Batteries included
- Three light modes: White spot light, White flood light and Spot and flood together



Energizer

Model No.	Mfg. No.	Lumens	Price /Each
SDM001	HDBIN32E	300	27.00

FL85 HEADLAMPS

- Hinged beam allows for quick and easy light beam adjustment
- Hardhat compatible
- Dual colour mode allows for great visibility in low light situations and offers bright, long distance illumination
- Reflective strap provides additional visibility on low lighting
- IPX4 weatherproof rating
- Lamp Type: LED
- Lamp Material: Plastic
- Run Time Hrs. (High): 2.25
- Run Time Hrs. (Low): 13
- Battery Type: AAA
- Body Colour: Black
- Beam Distance (High): 183 m
- Beam Distance (Low): 77 m
- Batteries included
- Light Colour: Red, White
- Dual Colour Mode: Red and White Beam
- Beam Optic: Pure Beam



COAST®

Model No.	Mfg. No.	Lumens High/Low	Price /Each
XE988	21190	615/96	76.40

FLASHLIGHTS & BATTERIES

HL7 HEADLAMP

- Hinged beam allows for quick and easy light beam adjustment
- Hardhat compatible
- Tested and rated to ANSI/FL1 standards
- Lamp Type: LED
- Lamp Material: Plastic
- Body Colour: Black
- Run Time Hrs. (High): 1.5
- Run Time Hrs. (Low): 70
- Beam Distance (High): 119 m
- Beam Distance (Low): 13 m
- Battery Type: AAA
- Batteries included
- Light Colour: White
- Modes: High to Low
- Beam Optic: Pure Beam



COAST

Model No.	Mfg. No.	Lumens High/Low	Price /Each
XF008	TT7497CPBL-P2	285/4	62.00

2720 HEADLAMPS

- Features gesture activation control
- Can be operated in high, signaling, or night vision red LED mode
- Rubber head strap included
- Optical 4x magnification allows for a wide or penetrating beam
- Lamp Type: LED
- Run Time Hrs. (High): 2.3
- Beam Distance (High): 82 m
- Batteries included
- Number of Batteries Required: 3 AAA
- Water Resistance: IPX4



PELICAN

Model No.	Mfg. No.	Lumens	Price /Each
XE236	027200-0101-110	200	76.80

ENDURO® LED HEADLAMPS

- Solid State Power Regulator provides maximum light output throughout battery life
- Waterproof to 1 metre for 30 min.
- Includes rubber/elastic combo head strap
- Run Time Hrs. (High): 5.5
- Battery Type: AAA
- Lamp Colour: Black
- Beam Distance (High): 66 m
- Number Of Batteries Required: 2



STREAMLIGHT

Model No.	Mfg. No.	Lumens	Price /Each
XD434	61400	14.5	49.00

2755 HEADLAMPS

- Safety approved headlamp designed for use in hazardous environments
- Ultra compact and lightweight
- Class I - Division 1 approved
- Equipped with a low battery indicator
- Can be operated in high, low, or flashing mode
- Lamp Type: LED
- Lamp Material: Plastic
- Run Time Hrs. (High): 6
- Run Time Hrs. (Low): 15 hrs.
- Beam Distance (High): 57 m
- Beam Distance (Low): 40 m
- Peak Beam Intensity (High): 807 cd
- Peak Beam Intensity (Low): 404 cd
- Battery Type: AAA
- Batteries included
- Light Colour: White
- No. of Batteries Required: 3
- Length: 2.25"
- Weight With Batteries: 3.4 oz.
- Water Resistance: IPX4



XE902

PELICAN

Model No.	Mfg. No.	Lumens High/Low	Colour	Price /Each
XE901	027550-0103-110	72/34	Black	48.10
XE902	027550-0103-245	72/34	Yellow	48.10

2750 HEADLAMPS

- Bright and compact headlamp that features a night vision friendly red LED
- Designed with weather resistant casing which allows for fast and easy battery change
- Can be operated in high, low, or flashing mode
- Lamp Type: LED
- Run Time Hrs. (High): 2.30
- Beam Distance (High): 90 m
- Beam Distance (Low): 48 m
- Batteries Included
- Number of Batteries Required: 3 AAA
- Water Resistance: IPX4



XE900

PELICAN

Model No.	Mfg. No.	Lumens High/Low	Colour	Price /Each
XE232	027500-0102-110	259/71	Black	42.10
XE900	027500-0102-247	259/71	Photoluminescent	42.10

2765 HEADLAMPS

- Safety approved headlamp designed for use in hazardous environments
- Ultra compact and lightweight
- Class I - Division 1 approved
- Can be operated in high, low, downcast, or flashing mode
- Lamp Type: LED
- Run Time Hrs. (High): 6.25
- Beam Distance (High): 81 m
- Lumens (Main & Downcast High): 132
- Lumens (Main & Downcast Low): 78
- Lumens (Downcast): 34
- Run Time Hrs. (Downcast): 14
- Beam Distance (Downcast): 10 m
- Batteries included
- Number of Batteries Required: 3 AAA
- Water Resistance: IPX4



XE905

PELICAN

Model No.	Mfg. No.	Lumens	Colour	Price /Each
XE905	027650-0100-110	155	Black	59.60
XE906	027650-0100-245	155	Yellow	59.60