

WORK LIGHTS & CORD REELS

LED WORK LIGHTS

- Latest in LED technology brings bright, long-lasting and energy-efficient lighting to your toughest tasks
- Cool running, cold-temperature operable and highly energy efficient
- Bright white LED's provide extremely long lamp life (50 000 hours average)
- 50 LED, 15' 16/3 SJT cord, 13 A grounded outlet, removable magnet mount and dual hooks
- **Includes:** On/off switch, hanging hook and focused reflector
- Certified for sale in Canada by an accredited certification body

Model No. XC413
Price/Each \$126.00



LIND  EQUIPMENT

HAZARDOUS LOCATION HANDLAMPS

- Explosion proof LED provides 800 lumens of light output, equivalent to a 60 W bulb
- 16/3 SOOW cord with a non-explosion proof plug (explosion proof plug is also available)
- Approved for Class I Division I Group C and D hazardous locations
- Certified for sale in Canada by an accredited certification body
- Lamp Type: LED
- Wattage: 9 W
- Housing Material: Aluminum

XA269



LIND  EQUIPMENT

Model No.	Lumens	Cord Length'	Price /Each
XA269	800	25	879.00
XA103	800	50	920.00
XD059	800	100	989.00

HAZARDOUS LOCATION HANDLAMPS

COMPACT FLUORESCENT HAND LAMPS

- 26-W quad tube (1800 lumens)
- Minimal heat generation makes them ideal for use in confined, potentially explosive areas
- DuPont Zytel® outer construction is extremely rugged and leaves no exposed metal parts
- 16/3 SOOW cord with a non-explosion proof plug (explosion proof plug is also available)
- Approved for Class I Division 1 Group C and D and Class II Division 1 Group F and G hazardous locations
- Certified for sale in Canada by an accredited certification body



Model No.	Description	Price /Each
XA137	26 W, 25' Cord	1303.00
XA136	26 W, 50' Cord	1324.00
XD060	26 W, 100' Cord	1438.00
XD061	Replacement Bulb 26 W Quad Tube	25.60

LED HAZARDOUS LOCATION FLOODLIGHTS

- Ultra bright 39 W LED array
- Equivalent usable light output as a 70 W metal halide hazardous location floodlight while using 56% less energy
- Aluminum housing can stand up to rough service and is suitable for wet locations (NEMA 4)
- Includes 50' 16/3 SOOW cable and standard plug (explosion-proof plug is also available)
- Approved for use in Class I, Division 1, Groups C&D, Class II, Division 1&2, Groups F&G and Class I, Division 2, Groups A, B,C&D hazardous locations
- Certified for sale in Canada by an accredited certification body



Model No.	Price/Each
XD051	4426.00

LIND  EQUIPMENT

PORTABLE LED WORK LIGHTS

- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- Lumens: 2500
- Wattage: 20
- Housing Material: Aluminum
- IP65 rating for weather and dust resistance

aurora tools®

Model No.	Price/Each
XG816	69.85



TWIN-HEAD LED WORK LIGHTS

- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- LED bulbs included
- Fixtures can adjust 120°
- Certified for sale in Canada by an accredited certification body
- Lumens: 4800
- Wattage: 40
- Housing Material: Aluminum
- IP65 rating for weather and dust resistance

aurora tools®

Model No.	Price/Each
XG817	165.60



LINEAR FLUORESCENT LED STRINGLIGHTS

- 50 W fluorescent lamp is rated for 14 000 hours, equivalent light output as a 300 W incandescent lamp
- Hangs 14" high with hooks
- 16/3 SJTOW cord
- Thick-walled polycarbonate outer tube is virtually indestructible
- Oversized end caps provide additional impact protection
- Feed-through receptacle allows lights to be strung together to light larger areas (up to 24 units)
- Moisture and dust resistant
- Certified for sale in Canada by an accredited certification body



LIND  EQUIPMENT

Model No.	Description	Price /Each
XD063	35", 50 W Linear Fluorescent	693.00
XD064	35", 50 W Linear Fluorescent/Vapour Proof	733.00
XE854	35" LED Stringlights	899.00


WORK LIGHTS & CORD REELS

TWIN-HEAD HALOGEN WORK LIGHTS

- Twin 500-watt halogen lights
- Heat resistant tempered glass face
- Colour: Black and yellow
- Halogen bulbs included
- IP54 rating for weather and dust resistance
- Certified for sale in Canada by an accredited certification body
- Lumens: 16000

Model No. XC950
Price/Each \$76.40

REPLACEMENT BULB
Model No. XC951
Price/Each \$1.75



aurora tools®

PORTABLE HALOGEN WORK LIGHTS

- 500-watt halogen work light
- Heat resistant tempered glass face
- Adjustable tilting head
- Colour: Black and yellow
- Halogen bulb included
- IP54 rating for weather and dust resistance
- Certified for sale in Canada by an accredited certification body
- Lumens: 8000

Model No. XC949
Price/Each \$25.25

REPLACEMENT BULB
Model No. XC951
Price/Each \$1.75



aurora tools®

DUAL-HEAD LED TRIPOD WORK LIGHTS

- Stays cool to the touch even after hours of usage
- Impact resistant glass and durable aluminum housing
- Weather-protected sealed switch
- Non-slip soft grip carry handle
- Twin LED lights easily detach from tripod
- Lumens: 7200
- Wattage: 60 W
- Housing Material: Aluminum
- Lamp Life: 30,000 hrs.
- Cord Length: 8'
- Lighting Range: 210'

Model No. XE750
Price/Each \$266.00



LED STRING WORK LIGHTS

- Each panel light outputs up to 1000 lumens
- LED bulbs built-in, no replacement bulbs required
- The integrated LED lights are designed to last for 30,000 hours
- Low power consumption allows 12 additional sets to be linked together
- Ideal for construction sites, indoor & outdoor use
- Comes with optional carabiners
- Wire Gauge: 16/2
- Number of Lights: 5
- Light Temperature: 5000K
- Environmental Rating: IP55
- Wattage Per Panel: 10W
- Lumens Per Panel: 1000
- Distance Between Panels: 8-5/6'



aurora tools®

Model No.	Cord Length'	Housing Material	Price /Each
XI021	50	Plastic	265.00

LED WORK LIGHTS

- LED bulbs last longer than Halogen, consumes less energy
- Stays cool to the touch even after hours of usage
- Impact resistant glass and durable aluminum housing
- Weather-protected sealed switch
- Non-slip soft grip carry handle
- For indoor and outdoor use in dry locations
- XE665: Twin LED lights easily detach from tripod
- XE665: Unit includes tripod stand and (2) 2400 lumen LED lights



Model No.	Lumens	Wattage	Lighting Range	Price /Each
XE666	2400	20 W	70'	63.80
XE665	4800	40 W	140'	163.00

HEAVY-DUTY MOULDED LED STRINGLIGHTS

- For tough, temporary lighting
- Hanging holes on each socket allows installation with either spikes or S-hooks
- Each socket is spaced 10 feet apart



XI324



XH875

LIN E EQUIPMENT

Model No.	Mfg. No.	Cord Length'	No. of Sockets	Housing Material	Cable	Connector	Price /Each
STRINGLIGHTS ONLY							
XH644	TLS-100CG14	100	10	Plastic	14/2 SJTOW	No	134.00
XH643	TLS-50SJ14	50	5	Plastic	14/3 SJTOW	Yes	87.30
XI325	TLS-100SJ14	100	10	Plastic	14/3 SJTOW	Yes	149.00
XI324	TLS-50MGSJ14	50	5	Metal	14/3 SJTOW	Yes	94.40
XI312	TLS-100MGSJ14	100	10	Metal	14/3 SJTOW	Yes	184.00
STRINGLIGHTS WITH LED LAMP							
XH876	TLS-50SJ14LED	50	5	Plastic	14/3 SJTOW	Yes	139.00
XH875	TLS-100SJ14LED	100	10	Plastic	14/3 SJTOW	Yes	249.00

WORK LIGHTS & CORD REELS

BEACON LIGHT 40W LED FLOODLIGHTS

- As bright as a 500 W quartz-halogen floodlight
- Low operating temperature, resulting in a safer working environment
- Low energy usage and no bulb replacement, resulting in large total cost of ownership savings
- High quality LEDs are rated for over 50,000 hours
- Durable aluminum housing and tempered glass lens
- 15' 18/3 SJOW cord
- IP65 environmental rating and starts instantly in cold weather
- Certified for sale in Canada by an accredited certification body
- Lamp Type: LED
- Lumens: 6000
- Wattage: 40 W
- Housing Material: Aluminum



LIND **E** EQUIPMENT

Model No.	Description	Price /Each
XD046	Beacon Light with Clamp Mount	359.00
XC942	Beacon Light with Floor Stand	325.00

BEACON 360° WIDE AREA LED LIGHT

- Light temperature: 4500K (bright white light - no blue tint)
- 13000 lumens equivalent usable light of a 400 W metal halide
- Environmental rating: IP64 (weatherproof)
- Construction: Cast aluminum housing, polycarbonate lenses
- Switch: On/Off rocker switch
- Weight: 10 lbs. (light head only)
- Height: 14" (light head)
- Diameter: 6" (light head)
- 120 W
- Lighting range: 50'
- Approvals: cETLus portable work light



LIND **E** EQUIPMENT


Model No.	Description	Price /Each
XE636	w/Magnet Mount	725.00
XE637	w/Clamp	725.00
XE638	w/Tripod	725.00

BEACON LED FLOODLIGHTS

- 40 W as bright as a 500 W quartz-halogen floodlight
- 30 W as bright as a 300 W quartz-halogen floodlight
- Low operating temperature, resulting in a safer working environment
- Low energy usage and no bulb replacement, resulting in large total cost of ownership savings
- High quality LEDs are rated for over 50,000 hours
- Durable aluminum housing and tempered glass lens
- IP65 environmental rating and starts instantly in cold weather
- 15' 18/3 SJOW cord
- Certified for sale in Canada by an accredited certification body



XC942



LIND **E** EQUIPMENT

XD044



Model No.	Description	Lumens	Price /Each
FLOODLIGHTS			
XE855	40 W LED Floodlight Base Model	6000	295.00
XC942	40 W LED Floodlight with Floor Stand	6000	325.00
XC941	40 W LED Floodlight with Tripod	6000	349.00
XD044	40 W LED Dual Head Floodlight with Tripod	12000	799.00
XD045	40 W LED Floodlight with Magnet Mount	6000	349.00
XD046	40 W LED Floodlight with Clamp Mount	6000	359.00
RECHARGEABLE FLOODLIGHTS			
XE862	30 W LED Rechargeable Floodlight Base Model	3000	311.00
XE863	30 W LED Rechargeable Floodlight with Floor Stand	3000	341.00
XE864	30 W LED Rechargeable Floodlight with Tripod	3000	380.00
XE865	30 W LED Rechargeable Dual Head Floodlight with Tripod	6000	760.00
XE866	30 W LED Rechargeable Floodlight with Magnet Mount	3000	370.00
XE867	30 W LED Rechargeable Floodlight with Clamp Mount	3000	380.00

WORK LIGHTS & CORD REELS

BEACON360 SPARK SUSPENDED WORK LIGHT

- Designed to replace string lights for increased efficiency and flexibility
- Ideal for lighting up small rooms, stairwells and corridors
- The innovative plug and play daisy-chain system makes installation and removal easier than ever
- Each daisy-chain cord includes a triple-tap connector allowing for custom patterns of lights to be created
- Can be easily unplugged and relocated individually as required throughout the job
- Lamp Type: LED
- Lumens: 2400
- Wattage: 20 W
- Voltage: 90 - 277 V
- Light Temperature: 4500 K
- Lamp Life: 50000 hrs.
- Environmental Rating: IP64
- Wire Gauge: 14/3
- Cable Type: SJTW



LIND  EQUIPMENT

Model No.	Cord Length'	Housing Material	Price /Each
XI326	10	Aluminum	99.90

WOBBLELIGHT® WORK LIGHTS

Bright and dependable, the self righting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces.

- Ideal anywhere temporary high-output lighting is needed, such as indoor and outdoor construction sites, manufacturing, plant maintenance, fire & rescue
- Floating shock system protects bulb from impact
- Counter-weighted self righting design
- 360° lighting out put adjustable to 180° with optional reflector
- Optional nylon reflector shield allows you to maintain 100% light source and focus it
- Internal ventilation system keeps light cool to the touch
- No set up – plugs into 120 VAC supply
- Includes receptacle for connecting units in a series
- Certified for sale in Canada by an accredited certification body

XI502



WOBBLELIGHT®

ProBuilt® Professional Lighting, LLC

Model No.	Mfg. No.	Description	Light Output Lumens	Lighting Area	Price /Each
XI502	111301LED	150 W LED V2, 33" High	12000	60'	938.00
XH164	111303LED	185 W LED V3, 33" High	15 000	75'	1163.00

BEACON360 TREK PORTABLE WORK LIGHTS

- Casts light in 360° and upwards, illuminating work areas up to 25' in every direction
- Flexible, portable, durable and rugged
- Small size will allow crews to bring this light anywhere
- Ceiling mount eye-bolt included
- Ideal for construction, maintenance, events and shutdowns
- Lamp Type: LED
- Lumens: 7000
- Wattage: 60 W
- Housing Material: Aluminum
- Light Temperature: 4700K
- Environmental Rating: IP64 Weatherproof



LIND  EQUIPMENT

Model No.	Description	Price /Each
XH864	Portable Work Light	399.00
XH868	Portable Work Light with Tripod (4-8' height)	465.00
XH866	Portable Work Light with Aluminum Floor Stand	429.00
XH867	Portable Work Light with Magnet Mount	465.00

BEACON360 GO PORTABLE WORK LIGHTS

- Battery operated
- Three light modes to tailor to your application
- Highest power mode provides 6000 lumens of bright white light for up to 4 hours
- The low power mode provides 3000 lumens for 8 hours
- The power saver mode provides 900 lumens for 25 hours
- The floor stand provides a super compact and portable solution
- Lamp Type: LED
- Lumens: 6000
- Wattage: 45 W
- Housing Material: Aluminum
- Battery: Lithium Ion
- Charge Time: 4-5 hours
- Light Temperature: 4500K
- Environmental Rating: IP65 Weatherproof



LIND  EQUIPMENT

Model No.	Description	Price /Each
XH877	Portable Work Light	539.00
XH881	Portable Work Light with Tripod (4-8' height)	609.00
XH879	Portable Work Light with Aluminum Floor Stand	579.00
XH880	Portable Work Light with Magnet Mount	609.00

BEACON120 LED HIGH BAY LIGHTS

- Bright, robust LED temporary high bay light that can illuminate over 3000 sq.ft. when mounted at a height of 20' above the ground
- Weatherproof and can be used indoors and outdoors in any conditions
- Provides instant start even in the coldest locations
- Instantly restarts in the event of a power loss
- Cool running and rated for over 50,000 hours use
- Includes standard 3' cord and plug
- Ideal for construction sites with high ceilings, such as warehouses, retail, commercial and residential lobbies
- Lumens: 15250
- Wattage: 120 W
- Light Temperature: 4500K
- Environmental Rating: IP65 Weatherproof

Model No.	Description	Cord Length'	Housing Material	Price /Each
XH871	High Bay Light	3	Aluminum	319.00
XH872	High Bay Light with Daisy Chain	25	Aluminum	399.00



XH871

LIND  EQUIPMENT