

LOCKS & LOCKOUT DEVICES

PROSERIES® SHROUDED PADLOCK

- Set-your-own 4-digit combination with 10,000 possible combinations for convenience and security
- No reset tool required
- Large ergonomic dials with exclusive blind dial feature permit operation with gloves, in low light, or complete darkness
- Deadlocking mechanism protects against prying, shimmying and rap attacks
- Shackle seal and dial dust cover protect internal components and dials for trouble-free operation


Master Lock

Model No.	Mfg. No.	Key Type	Body Width"	Body Material	Shackle Diameter"	Shackle Clearance Height"	Shackle Clearance Width"	Price /Each
SGS351	1177D	Resettable	2-1/4	Solid Brass	3/8	1-1/16	15/16	49.10

WEATHER RESISTANT PADLOCKS

The covered padlocks withstand even the harshest outdoor environments and corrosive atmospheres. These locks are excellent in perimeter security, storage buildings, and gate security and transportation.

MASTER LOCK PRO SERIES®

WEATHER TOUGH® SECURITY PADLOCKS (REKEYABLE)

- Rekeyable - replaceable cylinder and shackle
- 5-pin cylinder with spool pin tumbler is impossible to pick
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Comes with two keys
- Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks


SAL433



SA903



Master Lock

Model No.	Mfg. No.	Key Type	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Thickness"		A"	B"	C"		
SAL433	6121	Different	2-1/8	1	Laminated Steel	5/16	1-1/8	7/8	1.00	43.00
SAL434	6121LJ	Different	2-1/8	1	Laminated Steel	5/16	2-1/2	7/8	1.05	46.60
SA902	6125	Different	2-3/8	1-3/16	Laminated Steel	3/8	1-3/8	7/8	1.20	49.40
SA903	6125KA	Alike	2-3/8	1-3/16	Laminated Steel	3/8	1-3/8	7/8	1.20	44.50



MASTER LOCK LAMINATED STEEL SHROUDED PADLOCKS (REKEYABLE)


- Hardened boron alloy shackle for superior cut resistance
- Dual ball bearing locking mechanism resists pulling and prying
- 5-spool pin tumbler cylinder for added pick resistance
- Laminated steel body for superior strength
- Body and cylinder covers on Weather Tough® padlocks protect locks from water, dirt and grime
- High security solid iron shackle shroud resists harsh physical attacks
- Removable cylinder can be replaced or repinned
- Iron shroud protects shackle from bolt cutters and dual ball locking mechanism resists pulling and prying, while the heavy-duty laminated steel body construction withstands physical attacks



Model No.	Mfg. No.	Key Type	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Thickness"		A"	B"	C"		
SA904	6325	Different	2-3/8	1-3/16	Laminated Steel	3/8	3/4	7/8	1.60	69.40
SA905	6325KA	Alike	2-3/8	1-3/16	Laminated Steel	3/8	3/4	7/8	1.60	70.80
SEJ517	6321	Different	2-1/8	1	Laminated Steel	5/16	3/4	7/8	1.40	58.60

MASTER LOCK WEATHER-RESISTANT LAMINATED STEEL PADLOCKS

- Blue weather resistant thermoplastic cover protects against moisture, dirt and grime
- 1-9/16" laminated steel body construction for superior strength
- Hardened steel shackle with molded cover for superior cut and weather resistance



Model No.	Mfg. No.	Key Type	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Thickness"		A"	B"	C"		
SN706**	312	Different	1-9/16	1-1/8	Laminated Steel	3/8	1	1/2	0.55	19.90
SEJ518	312D	Different	1-9/16	1-1/8	Laminated Steel	9/32	1-1/6	5/8	0.55	19.90
SEJ519*	312TRI	Alike	1-9/16	1-1/8	Laminated Steel	9/32	1-1/6	5/8	0.55	43.90

* Set of 3 locks

** Thermoplastic covered shackle

LOCKS & LOCKOUT DEVICES

COMMERCIAL MAGNUM LAMINATED STEEL PADLOCK

- Stainless steel body cover and top and bottom plates for exceptional weatherability
- 1-3/4" (44mm) wide laminated steel body for superior durability
- 1" (25mm) octagonal boron carbide shackle is 50% harder than hardened steel
- Chrome-plated shackle for excellent rust resistance
- Superior pry resistance with dual-ball bearing locking
- Can be keyed into existing K1 or WP4 Edge® keyways

Model No.	Body Width"	Shackle Diameter"	Shackle Clearance		Price /Each
			Height"	Width"	
SGC385	1 3/4	5/16	1	13/16	23.40
SGC386	2	3/8	1	5/16	29.00



Master Lock

SGC386


MAGNUM® SHROUDED PADLOCK

- Locks come with two keys
- Patented "Octagonal" hardened "Boron-Carbide" shackle offers 50% greater strength than hardened steel while withstanding pulling and prying attacks
- Covered keyway for maximum weather protection and rubber body bumper for scratch resistance
- Key retaining safeguard insures padlock is not left unlocked
- The "Octagonal" shackle makes bolt cutter attacks virtually impossible

Model No.	Mfg. No.	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
		Width"	Thickness"		A"	B"	C"		
SEJ511	M40BLCDHC	2 3/4 Round	1 3/8	Stainless Steel	3/8	5/8	1-1/32	0.85	28.40



Master Lock



SHROUDED DISC PADLOCKS

- Stainless steel lock body resists corrosion
- Fully shrouded design minimizes shackle exposure and protects against bolt cutter attacks
- Hardened steel shackle provides extra resistance to cutting and sawing
- 4-Pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering
- Key retaining feature ensures padlock is not left unlocked
- Same key opens both locks
- Shackle Material: Hardened Steel
- Colour: Silver
- Type: Security

Model No.	Body Width"	Shackle Diameter"	Shackle Clearance		Key Type	Qty /Pkg.	Price /Each
			Height"	Width"			
SGS348	2-3/4	3/8	5/8	3/4	Keyed Different	1	26.20
SGS349	2-3/4	3/8	5/8	3/4	Keyed Alike	2	47.20
SGS350	2-3/4	3/8	5/8	3/4	Keyed Alike	3	57.70



Master Lock

LAMINATED PADLOCKS

These locks are excellent in perimeter security, storefront gates, tool cribs, construction equipment, vending machines, truck doors and general security. Full range of sizes to best secure your applications.

MASTER LOCK COMMERCIAL LAMINATED STEEL PADLOCKS (NON-REKEYABLE)

- Comes with two keys
- 4-pin cylinders helps prevent picking while providing 1,200 key changes
- Constructed of hardened, rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Hardened boron steel alloy shackles offer superior cut resistances while double locking mechanism provides extra pry and pulling resistance
- Top and bottom bumpers provide greater scratch resistance



SA890




SA900

Model No.	Mfg. No.	Key Type	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Thickness"		A"	B"	C"		
SR890	5D	Different	2	1	Laminated Steel	3/8	1	15/16	0.80	24.40
SR867	5KA	Alike	2	1	Laminated Steel	3/8	1	15/16	0.80	26.70
SAL432	5LJ	Different	2	1	Laminated Steel	3/8	2 1/2	15/16	0.80	28.30
SA898	1	Different	1 3/4	7/8	Laminated Steel	5/16	15/16	3/4	0.60	19.70
SA899	1KA	Alike	1 3/4	7/8	Laminated Steel	5/16	15/16	3/4	0.60	21.20
SA900	1LJ	Different	1 3/4	7/8	Laminated Steel	5/16	2 1/2	3/4	0.65	22.80
SA901	1KALJ	Alike	1 3/4	7/8	Laminated Steel	5/16	2 1/2	3/4	0.65	24.30
SA894	3	Different	1 9/16	3/4	Laminated Steel	9/32	3/4	5/8	0.50	17.60
SA895	3KA	Alike	1 9/16	3/4	Laminated Steel	9/32	3/4	5/8	0.50	16.50
SA896	3LH	Different	1 9/16	3/4	Laminated Steel	9/32	2	5/8	0.58	22.20
SA897	3KALH	Alike	1 9/16	3/4	Laminated Steel	9/32	2	5/8	0.58	23.60
SA890	7	Different	1 1/8	1/2	Laminated Steel	3/16	9/16	1/2	0.20	13.90
SA891	7KA	Alike	1 1/8	1/2	Laminated Steel	3/16	9/16	1/2	0.20	15.40
SA892	7LJ	Different	1 1/8	1/2	Laminated Steel	3/16	2 1/2	1/2	0.25	16.90
SA893	7KALJ	Alike	1 1/8	1/2	Laminated Steel	3/16	2 1/2	1/2	0.25	16.10



SA894




KEYED DIFFERENT vs. KEYED ALIKE

Each keyed different lock has a unique key for higher security. Keyed alike locks have the same key for each lock. Keyed alike locks add an extra convenience where many locks are involved. Extra locks can be ordered later to fit the same key number.

LOCKS & LOCKOUT DEVICES

MASTER LOCK ECONOMY LAMINATED STEEL WARDED PADLOCKS (NON-REKEYABLE)

- Warded locking mechanism minimizes jamming from dirt and grime
- Model **SEJ521** shackle can be shattered by a hammer in case of emergencies, ideal for emergency accesses sprinkler shut-off valves and fire hose cabinets
- Locks come with two keys
- For keyed alike options, please call us
- Model **SEJ520** features a removeable adjustable shackle from shackle heights 2 3/4" to 5 3/8"
- Steel shackle provides strong cut resistance
- Steel laminated body for superior strength, rustproofed for extended wear




Model No.	Mfg. No.	Key Type	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Thickness"		A"	B"	C"		
SEJ520	517D	Different	1 3/4	7/8	Laminated Steel	9/32	2 3/4 to 5 3/8	13/16	0.75	12.90
SA888	500	Different	1 3/4	7/8	Laminated Steel	9/32	13/16	13/16	0.45	8.42
SA889	500KA	Alike	1 3/4	7/8	Laminated Steel	9/32	13/16	13/16	0.45	9.87
SEJ521	500KABRK	Alike	1 3/4	7/8	Laminated Steel	9/32	13/16	13/16	0.45	11.40
SGL311	22D	Different	1 1/2	3/4	Laminated Steel	1/4	5/8	9/16	0.50	6.60
SA887	22KA	Alike	1 1/2	3/4	Laminated Steel	1/4	5/8	9/16	0.50	8.26

COMBINATION PADLOCKS

SUPERVISORY COMBINATION PADLOCKS


- Easy 3-number dialing with automatic scrambling feature to prevent reopening of lock
- Double-reinforced stainless steel case with cold-rolled steel construction shields locking mechanism from physical attack
- Supervisory feature allows a control key to be used to access all combination padlocks within a system - great for storage lockers
- Patented Blockguard (R) Anti Shim Technology withstands attempts to violate the latch mechanism
- Fits lockers with a padlock eye of at least 5/16" (8 mm) in diameter
- Hardened steel shackle and double-reinforced stainless steel casing resists cutting and prying
- Dial automatically locks under shackle tension to prevent "feeling out" the combination and automatically scrambles when closed to prevent accidental opening
- **SAX609** control key sold separately, please call your branch for charting these locker systems



Model No.	Mfg. No.	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
		Width"	Thickness"		A"	B"	C"		
SAX608	1525	1 7/8 Dia.	3/4	Stainless Steel	9/32	3/4	13/16	0.55	15.60
SAX609	K1525	Control Key		Brass	-	-	-	0.02	6.99

GENERAL SECURITY COMBINATION PADLOCKS

- Features Blockguard™ anti-shim technology
- Double-reinforced stainless steel case with cold-rolled steel construction shields locking mechanism from physical attack
- Easy 3-number dialing with automatic scrambling feature to prevent reopening of lock
- School standard's in combination padlock
- Hardened steel shackles resists cutting and prying
- Dial automatically locks under shackle tension to prevent "feeling out" the combination and automatically scrambles when closed to prevent accidental opening
- Fits lockers with a padlock eye of at least 5/16" (8 mm) in diameter



Model No.	Mfg. No.	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
		Width"	Thickness"		A"	B"	C"		
SR914	1500	1 7/8 Dia.	3/4	Stainless Steel	9/32	3/4	13/16	0.50	10.40
SAL506	1500LH	1 7/8 Dia.	3/4	Stainless Steel	9/32	2	13/16	0.50	14.70

BLUETOOTH® PADLOCKS

- Includes Master Lock Vault Enterprise IOS and Android app, and web interface, designed for business applications working with many locks and many users
- Use your smartphone to open and manage your lock with the Master Lock Vault Enterprise app
- No keys to lose no combinations to forget no unauthorized key duplication
- Backup access using directional code on lock keypad
- Share access with others - temporary or permanent
- Easily monitor access with robust data and audit trails
- Low battery notification & reminder on padlock and in app
- Comes with easy to replace CR2450 battery model **XC005**
- Battery jump allows for temporary access if battery dies while locked



SGL136



Model No.	Mfg. No.	Description	Body Width"	Shackle Diameter"	Shackle Clearance		Price /Each
					Height"	Width"	
SGL136	4400ENT	Indoor	1-29/32	9/32	7/8	13/16	177.00
SGL137	4401LHENT	Outdoor	2-7/32	11-32	2	15/16	187.00

LOCKS & LOCKOUT DEVICES

MASTER LOCK® LAMINATED STEEL SAFETY LOCKOUT PADLOCKS

- Reinforced laminated steel body construction withstands physical abuse
- Uses FDA approved lubricants safe for use in food processing
- 9/32" diameter boron steel shackle with plated finish for corrosion resistance
- Over 1,400 unique key changes available
- Comes with two keys per padlock
- Optional shackle heights of 3/4", 1 1/2" or 2" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site... ask about this service
- For keyed alike options or master keying, please call us

Master Lock


3 SERIES

Model No.	Mfg. No.	Colour	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Thickness"		A"	B"	C"		
SAL146	3BLU	Blue	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	18.10
SAL147	3RED	Red	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	18.10
SAL148	3YLW	Yellow	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	18.10
SAL149	3GRN	Green	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	18.10
SAL150	3BLK	Black	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	18.10
SAL151	3WHT	White	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	18.10
SAL152	3LHBLU	Blue	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	22.80
SAL153	3LHRED	Red	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	22.80
SAL154	3LHYLW	Yellow	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	22.80
SAL155	3LHGRN	Green	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	22.80
SAL156	3LHBLK	Black	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	22.80
SAL157	3LHWHT	White	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	22.80

DIELECTIC ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- All components are non-sparking and non-magnetic plastic, copper and brass
- Shackle withstands over 300-lb. pull force
- Designed exclusively for lockout/tagout applications
- Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key



406 SERIES

Model No.	Mfg. No.	Colour	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Height"		Width"	Height"	Dia."		
SAR833	406RED	Red	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR834	406ORJ	Orange	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR835	406YLW	Yellow	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR836	406GRN	Green	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR837	406BLU	Blue	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR838	406BLK	Black	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR839	406PRP	Purple	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40
SAR840	406TEAL	Teal	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	25.40

S31 GLOBAL ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed to fit smaller diameter lockout points for lockout/tagout applications (ie European OEM Equipment)
- Special thermoplastic body offers superior performance against chemicals, moisture, heat, cold and UV
- Operates from -70°F to +350°F (-56°C to +176°C)
- Marine grade 316 stainless steel shackle provides superior corrosion resistance
- Key retaining, cannot remove key unless the shackle is closed



S31 SERIES

Model No.	Mfg. No.	Colour	Body Size		Body Material	Shackle Clearance			Shipping Weight (lbs.)	Price /Each
			Width"	Height"		Width"	Height"	Dia."		
SED617	S31BLK	Black	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	24.80
SED618	S31BLU	Blue	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	24.80
SED619	S31GRN	Green	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	24.80
SED620	S31ORJ	Orange	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	24.80
SED621	S31RED	Red	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	24.80
SEJ529	S31YLW	Yellow	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	24.80